

Medical Certificate

Antibodies SARS-CoV-2

NAME: _____

PERSONAL No: _____

ID/PASSPORT: _____

SAMPLE COLLECTED ON: _____

SAMPLE TYPE: Serum collected using standard sampling tubes

TEST NAME:	Anti-SARS-CoV-2 IgG
RESULT:	POSITIVE

Methodology:

The Covid-19 antigen test is a quantitative membrane-based immunoassay for the detection of SARS-CoV-2 Antigens in human nasopharyngeal SWAB specimen. Sensitivity **85.0%** (95% for samples with CI:62.1%-96.8%) and Specificity **98.3%** (95% CI: 91.1% - 99.9%).

ElectroChemiLuminescence ImmunoAssay „ECLIA“, Roche, Immunoassay for the in vitro quantitative determination of antibodies (IgG) to (SARS-CoV-2) spike (S) protein.
The result in **AU/ml x 0.97 = BAU/ml**

Result Interpretation: < 0,8 BAU/ml Negative / ≥ 1,0 BAU/ml Positive

This barcode authenticates the result and gives access rights to the laboratory server for online verification on www.cibalab-pleven.com

Баркод талон за
резултат

This certificate is not valid without a
hologram sticker.

стикер

MDL "Cibalab - Pleven" Ltd., with address: Pleven, 39G Georgi Kochev Str, is a medical laboratory in the Republic of Bulgaria, with registration № 1524141011.

Date:

Head of clinical laboratory:

/Racheva V. MD/